MYSORE LEGISLATIVE ASSEMBLY

TWENTY-FOURTH DAY

Thursday, 18th March 1954

The House met in the Assembly Hall, Old Public Offices, Bangalore, at 12 of the Clock.

Mr. SPEAKER (Sri H. SIDDAIYA, B.A., LL.B.) in the Chair.

QUESTIONS AND ANSWERS

New Tank near Kagalagere

Q.—789. **Sri G. DUGGAPPA** (Holalkere).—

Will the Government be pleased to state :—

(*a*) whether an estimate was prepared for the construction of a new tank near Kagalagere in Holakere Taluk;

(*b*) if so, when the estimate was prepared and what was the estimated cost;

(*c*) whether the Chief Engineer or the Executive Engineer visited the spot;

(*d*) if so, when; what is the opinion of the Chief Engineer in the matter ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) Yes.

(*b*) In 1952-53, Rs. 3,47,450.

(*c*) Only the Executive Engineer has visited the spot.

(*d*) On 13th January 1954. As the Project as prepared was found to be unremunerative, the Chief Engineer has directed further investigation.

Sri G. DUGGAPPA.—I have no supplementaries, as the Chief Enginee states that he would inspect the place

---

Naraginakere and Kullehalli Tanks

Q.—864 **H. S. RUDRAPPA** (Honnali).—

Will the Government be pleased to state :—

(*a*) the number of tanks that have been restored or constructed newly for the last five years in Honnali Taluk;

(*b*) the amount spent for the above items for the last five years;

(*c*) whether it is a fact that the concerned people have made representations to the Engineering Department to renovate the Naraginakere and Kullehalli tanks in Belagutti Hobli in Honnali Taluk.

(*d*) if so, what steps have been taken by the Government to renovate the above tanks ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) 18 tanks have been restored. No fresh construction of tanks has been undertaken during the last five years.

(*b*) Rs. 48,835.

(*c*) Yes.

(*d*) Investigations carried out during 47-48 in respect of Naraginakere revealed that the tank is in good condition and that the capacity of the tank is sufficient to irrigate its atchkat of 10 acres and 25 guntas. There is, therefore, no necessity to restore this tank. With regard to Kullenahalli Tank, preliminary investigations have been carried out and the matter is under consideration.

Sri H. S. RUDRAPPA.—Has it come to the notice of the Government that the Naraginakere Tank which was renovated three years ago is under disrepair again ?

Sri Kadidal MANJAPPA.—The report is that the tank is in a good condition. However, I will enquire.

Sri H. S. RUDRAPPA.—Has it come to the notice of Government that the people of Honnali Taluk have been urging for the construction of new tanks ?

Sri Kadidal MANJAPPA.—My friend is always urging for the construction of new tanks. Therefore, we will expedite the channels in Honnali Taluk.

Sri H. S. RUDRAPPA.—My question is that the major portion of the Taluk has been subjected to scarcity conditions for the last three years and so will the Government be pleased to make up their mind to construct new tanks in all the areas there ?

Sri Kadidal MANJAPPA.—We are allowing Tunga water.

Sri H. S. RUDRAPPA.—May I bring to the notice of the Governmet that that water irrigates only about 10 thousand acres in Honnali Taluk ?

Sri Kadidal MANJAPPA.—That is a good area.

Sri H. S. RUDRAPPA.—May I bring to the notice of Government that in this area which borders malnad there is plenty of rain and the rain water is not made use of for constructing tanks ?

Sri Kadidal MANJAPPA.—We will investigate.

Mr. SPEAKER.—For the last five years a large sum of money has been spent on restoration of tanks.

Phod Records in Sira Taluk (Delay in disposal)

Q.—874. **Sri B. N. RAME GOWDA** (Sira).—

Will the Government be pleased to state :—

(*a*) the yearwar pendency of phod records in Sira Taluk for the last ten years ;

(*b*) the reasons for the delay in disposing the phod records ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) *Year.*			No.
1944—45	...	...	29
1945—46	...	...	68
1946—47	...	...	124
1947—48	...	...	228
1948—49	...	...	186
1949—50	...	...	165
1950—51	...	...	56
1951—52	...	...	85
1952—53	...	...	172
1953—54	...	...	505
	Total	...	1,618

(*b*) As there was only one Surveyor all the cases could not be attended. Arrangements have been made to post additional surveyors to clear off the pendency early.

ಶ್ರೀ ಬಿ. ಎಸ್. ರಾಮೇಗೌಡ.—ಗ್ರಾಮಾಂತರ ಗಳಲ್ಲಿ ಜಮೀನು ಅಳತೆ ಮಾಡುವಾಗ ಆಯಾ ಜಮೀನ್ದಾರರನ್ನು ಎದುರಿಗೆ ಇಟ್ಟುಕೊಂಡು ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಜಮೀನ್ದಾರರು ಬಂದರೆ ಆ ರೀತಿ ಮಾಡುತ್ತೇವೆ.

ಶ್ರೀ ಬಿ. ಎಸ್. ರಾಮೇಗೌಡ.—ಜಮೀನ್ದಾರರನ್ನು ಕಡ್ಡಾಯವಾಗಿ ಕರೆಸಿಕೊಂಡು ಇದನ್ನು ಮಾಡಬೇಕೆಂದಿಲ್ಲವೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಇದೆ ; ಕೆಲವು ಸಮಯದಲ್ಲಿ ಜಮೀನ್ದಾರರಿಗೆ ತಿಳಿವಳಿಕೆ ಕೊಟ್ಟಿದ್ದರೂ ಬರುವುದಿಲ್ಲ.

ಶ್ರೀ ಬಿ. ಎಸ್. ರಾಮೇಗೌಡ.—ಬಲಾತ್ಕಾರ ಮಾಡಬೇಕು.

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಮಾಡಿರುತ್ತೇವೆ.

ಶ್ರೀ ಬಿ. ಎಸ್. ರಾಮೇಗೌಡ.—ಹಾಗೂ ಬಾರದಿದ್ದರೆ ಅವರಮೇಲೆ ತಕ್ಕ ಕ್ರಮ ಕೈಗೊಂಡು ಅವರನ್ನು ಎದುರಿಗೆ ಇಟ್ಟುಕೊಂಡೇ ಈ ಕೆಲಸವನ್ನು ಮಾಡಬೇಕೆಂದು ಸ್ಥಳೀಯ ಅಧಿಕಾರಿಗಳಿಗೆ ತಿಳಿವಳಿಕೆ ಕೊಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಬರದೇ ಇದ್ದರೆ ಅವರಿಗೇ ತೊಂದರೆ. ಸಾಮಾನ್ಯವಾಗಿ ಬರುತ್ತಾರೆ ; ಕೆಲವು ಸಮಯದಲ್ಲಿ ಬರುವುದಿಲ್ಲ.

Feeder channel to Brahmasandra Oorumundinakere.

Q.—875. **Sri B. N. RAME GOWDA** (Sira).—

Will the Government be pleased to state :—

(*a*) since how long the people of Brahmasandra Village in Sira Taluk are agitating for a feeder channel to their tank, *i.e.*, Brahmasandra Oorumundinakere ;

(*b*) when the estimate for this work was sanctioned and the amount of the estimate :

(*c*) the reasons for not taking up the work till now ;

(*d*) whether they intend starting this work immediately ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) For some years past. The exact period is not ascertainable.

(*b*) An estimate for Rs. 5,800 has been prepared but not sanctioned.

(*c*) The estimate is under scrutiny and the objections of the atchkatdars of